CUMULATIVE INDEX 2001

Volume 19

March ANESTHESIA FOR MINIMALLY INVASIVE SURGERY, pages 1–205

June PEDIATRIC EMERGENCIES, pages 207–409

September THORACIC ANESTHESIA, pages 411–632

December MONITORING DURING CRITICAL EVENTS, pages 633–987

Note: Page numbers of article and issue titles are in boldface type.

Abdominal compartment syndrome, oliguria in, 877–878

Abdominal distension, observation for, for verifying endotracheal position, 817

Abdominal trauma, pediatric, anesthetic management, 330–331 overview, 329–330

Acid-base changes, as complication of massive transfusion, 645

Acoustic reflectometry, for verifying endotracheal position, 829–830

Adrenalectomy, laparoscopic, 109

Air and gas embolism, cause, 685–686 intraoperative monitoring strategy, 690–

monitoring and diagnosis, 686–690 Air leaks, persistent, after thoracoscopy, 194–195

in pediatric patient, 197–198

Airway evaluation, in secondary treatment of anaphylaxis, 714

Airway maintenance with 100% oxygen, for initial treatment of anaphylaxis, 710

Airway reconstruction, ventilation for, 532 Airway surgery, anesthesia for, 497–541

direct laryngoscopy, anesthetic and ventilation techniques, 519–521

patient characteristics and physiologic effects, 519 emergence after, 534–535

extraordinary ventilation strategies, cardiopulmonary bypass, 531 hyperbaric oxygenation, 531 reconstruction of airway, 532

spontaneous ventilation, 531

fiberoptic bronchoscopy, anesthetic techniques, general anesthesia, 512–514

topical anesthesia with conscious sedation, 511–512

patient characteristics and physiologic effects, 510–511

high-frequency ventilation, 529–531 immediate postoperative

complications, 535–536 in laryngobronchoscopy, patient positioning and monitoring,

509–510 laser resection by way of suspension laryngoscopy or bronchoscopy, 521–523

modes of ventilation, 504, 506 characteristics of, 505

high-frequency jet ventilation, 500–501, 506–507

high-frequency oscillation, 502, 507-509

high-frequency positive pressure ventilation, 501, 507

low-frequency jet ventilation, 498–499, 529

removal of foreign bodies, 523 rigid bronchoscopy, anesthetic and ventilation techniques, 515–519

patient characteristics and physiologic effects, 514-515

tracheal resection and reconstruction, anesthesia and ventilation

techniques, 526 distal tracheal intubation and intermittent positive pressure ventilation, 526–529 Airway surgery (Continued)

patient monitoring, 525-526

preoperative assessment and patient characteristics, 524–525 tracheostomy, 523–524

tracheal surgery with specific anesthetic considerations, airway trauma, 532–533

tracheoesophageal fistula, 533-534 seful agents, 497, 503-504

useful agents, 497, 503-504

alfentanil, 503 desflurane, 503

esmolol, 503

fentanyl, 503

mivacurium, 504 propofol, 503

rapacuronium, 504

remifentanil, 503

rocuronium, 504

sevoflurane, 503

succinylcholine, 504

jet ventilation and high-frequency ventilation in, 498-502

Airway trauma, anesthesia for, 532-533

Alfentanil, for airway surgery, 503 Almitrine bimesylate, effect of, on hypoxic pulmonary vasoconstriction, during one-lung ventilation, 491–492

 α₁ agonists, pure, for pediatric resuscitation outside operating room,

Aminophylline, for secondary treatment of anaphylaxis, 712–713

Amniotic fluid embolism, 696-698

Amrinone, for secondary treatment of anaphylaxis, 713

Analgesia, postoperative, for pulmonary resection, 425–426

post-thoracotomy. See Post-thoracotomy analgesia.

Anaphylactoid reactions, pathophysiology of, 707–708

Anaphylaxis, 705-715

from adverse drug reactions, 706 pathophysiology of, 706

recognition of, during anesthesia, 707 treatment of, 708–709

initial therapy, 709–711 secondary treatment, 711–714

Anaritide, for improving outcome after oliguria, 875

Anemic hypoxia, 778–781

diagnosis and treatment of, 793–794 Anencephaly. See Neural tube defects.

Aneurysms, intracranial, genetics of, 230 saccular, co-existing with arteriovenous malformations, 229–230

Aneurysm surgery, thoracoabdominal. See Thoracoabdominal aneurysm surgery.

Anticoagulation, monitoring of, for treatment of pulmonary thromboembolism, 683–685 Antihistamines, for secondary treatment of anaphylaxis, 711

Aortic valve, examining with transesophageal echocardiography, 735–737

Arrests, intraoperative coagulopathy and, 354–355

secondary to topical vasoconstrictors, 357-358

Arrhythmias, intraoperative coagulopathy and, 354–355

in patients undergoing pulmonary resection, 420

as pediatric cardiac emergency, 292–298 complete heart block, 296–298

supraventricular tachycardia, 293–296 Arterial blood gas analysis, before thoracoscopy, 159

Arterial blood gas and pH analysis, 885-912

arterial blood acid-base balance, buffering capacity, 888–889

graphic approach to acid-base analysis, 889–891

importance of anion gap in acid-base analysis, 891–892

metabolic component, 887–888 overview, 885–886

respiratory component (PCO₂), 887 rules-based approach to acid-base analvsis. 893

arterial blood partial pressure of carbon dioxide (PcO₂), alveolar dead space, 901–903

anatomic dead space, 901 assessment of alveolar ventilation, 900–901

carbon dioxide expirogram versus capnogram, 903–906

comparison of average alveolar expired PcO₂ (PAEcO₂) with PacO₂, 906

total physiologic dead space, 901 arterial blood partial pressure of oxygen (Po₂), assessment of arterial blood oxygenation, 898–900

oxyhemoglobin dissociation relationship, 896–897

tissue oxygen consumption versus arterial blood oxygen delivery, 897–

non-steady-state considerations of blood gas and pH analysis, 907–909

venous blood and tissue compartments, 907

Arterial blood pressure, for monitoring air embolism, 689–690

Arteriovenous malformations, 229–235 anesthetic management, 233–234 co-existence of saccular aneurysms with, 229–230

genetics of intracranial aneurysms, 230 intervention, 233 occurrence of, 230-231 order of treatment, 232 presentation, 231-232 recurrence of, 231 Spetzler-Martin System for grading, 231 treatment modalities, 232 Aspirated foreign bodies, in children, 239 anesthetic management, 240-242 Atrial natriuretic hormone, for improving outcome after oliguria, 875 Atropine, for pediatric resuscitation outside operating room, 396 Auscultation, for confirming double-lumen endotracheal tube placement, 462-463 Auto-positive end-expiratory pressure,

Beck Airway Air Flow Monitor, for verifying endotracheal position, 829 β-blockers, for prophylaxis of myocardial ischemia, 654-655 Bicarbonate, for secondary treatment of

endotracheal position, 817

during one-lung ventilation, 443-445 Axillae, auscultation of, for verifying

anaphylaxis, 713 Bispectral index monitoring, 947-966 awareness during, 963-964 clinical usefulness trials in surgical patients, 957-960 clinical validation in volunteers, 954-956 defining components of anesthesia, 950-

future applications, 964 historical perspective, 948-949 importance of monitoring hypnotic state, 956-957

interpretation of bispectral index levels during anesthesia, anesthetic goals, 961-963

balanced anesthesia, 960 inhalational anesthesia, 961 technologic improvements, 949-950 theoretic basis, 951-954 in thoracic surgery for end-stage lung disease, 583 Bleeding, intraoperative, during

thoracoscopy in pediatric patient, 198 Blood, fluid, and electrolyte balance in children, intraoperative fluid administration, 340-342

preoperative fasting guidelines for, 339-

Blood transfusions, in children, allogenic, indications for, 347-348 cryoprecipitate, 352-353 determining amount of blood for, 348-351

fresh frozen plasma, 351 homologous, 342 infectious risks, 342-344 noninfectious complications, 344-347 massive, and intraoperative coagulopathy, 351 platelets, 351-352 massive, complications of, 638-647 acid-base changes, 645 citrate intoxication, 644-645 combined dilutional and consumptive coagulopathy, treatment of, complex coagulopathies, 642-643 consumptive coagulopathy, 640 decreases in 2,3-diphosphoglycerate, dilutional coagulopathy, 639-642 hyperkalemia, 645-646 hypothermia, 640-641 microaggregate delivery, 646-647 volume overload, 646 Bradycardia, intraoperative coagulopathy and, 356-357 Breath sounds, auscultation of, for verifying, endotracheal position,

tracheal tube insertion depth, 833 Bronchial blocker, in one-lung ventilation, Bronchoscopy, laser resection by way of,

521-523 rigid, anesthetic and ventilation tech-

niques, 515-519 patient characteristics and physiologic effects, 514-515

Calcium, for pediatric resuscitation outside operating room, 394-395

Calcium channel blockers, for improving outcome after oliguria, 874

Cancer, lung. See Lung cancer. Capnography, for monitoring air embolism, 688

for verifying, endotracheal position, 821-824

tracheal tube insertion depth, 834 Carbicarb, for pediatric resuscitation outside operating room, 396

Carbon dioxide, identification of, in exhaled gas, for verifying endotracheal position, 821-825

Carbon monoxide toxicity, hypoxia from, 782-783

diagnosis and treatment of, 794-796 Carboxyhemoglobin, as artifact of pulse oximetry, 802

Cardiac arrest and monitoring, 717-726 assessing adequacy of circulation during cardiopulmonary resuscitation, 721-722

electrocardiography, 718–719

end-tidal carbon dioxide monitoring, 723–724 invasive pressure monitoring, 722–723

ventricular fibrillation, 719–721

Cardiac complications, from thoracoscopy,

Cardiac complications, from thoracoscop

Cardiac disease, in patients undergoing pulmonary resection, 420

Cardiac emergencies, pediatric, 287–308 arrhythmias, 292–296

> complete heart block, anesthetic management, 297–298 cause, 296–297 clinical presentation, 297

supraventricular tachycardia, anesthetic management, 296 cause, 293–294 clinical presentation, 294

medical management, 295–296 cardiac tamponade, anesthetic

management, 300–301 cause, 298–299

clinical presentation, 299–300 congenital cardiac lesions, 287–292 indications for emergency cardiac catheterization, anesthetic management, 291–292

inadequate mixing of pulmonary and systemic circulations, 290–291

obstructive left-sided cardiac lesions, 288–289

obstructive right-sided cardiac lesions, 289–290

congestive heart failure, anesthetic management, 304 cause, 301–302

clinical presentation, 302–303 medical management, 303–304

Cardiac lesions, congenital, as pediatric cardiac emergency, 287-288 anesthetic management, 291-292 indications for emergency cardiac catheterization, 288-291

Cardiac tamponade, as pediatric cardiac emergency, anesthetic management, 300–301

cause, 298-299

clinical presentation, 299-300 Cardiogenic pulmonary edema, in

children, 386–387 Cardiopulmonary bypass, for ventilation in airway surgery, 531

Cardiopulmonary interaction, in prethoracotomy respiratory assessment, 416–417

Cardiopulmonary resuscitation, assessing adequacy of circulation during, 721–722

determining pulselessness before, 717–718

electrocardiography for monitoring, 718-719

end-tidal carbon monoxide monitoring during, 723–724

invasive pressure monitoring during, 722–723

Cardiovascular collapse, from laparoscopy, 92–93

Cardiovascular complications, of laparoscopy, 92–94

Cardiovascular effects, of intra-abdominal pressure, in pediatric laparoscopy, 72–74

of pneumoperitoneum, in laparoscopy, 2–6

Catecholamines, for secondary treatment of anaphylaxis, 711–712

Caudal epidural block, for laparoscopy, 49 Central pressures, for assessing adequacy of oxygen delivery in massively bleeding patient, 634–635

Central venous catheter, for monitoring air embolism, 689

Central venous pressure monitoring, for measuring renal perfusion, 868–869

Cerebral perfusion pressure, as measure of brain hypoxia and ischemia, 805–806 Cervical trauma, from hysteroscopy, 134

Chest movements, observation and palpation of, for verifying endotracheal position, 816 for verifying tracheal tube insertion

for verifying tracheal tube insertion depth, 833 Chest radiography, for verifying,

endotracheal position, 830 tracheal tube insertion depth, 834 Cholecystectomy, outpatient laparoscopic,

36, 116–118 Chronic obstructive pulmonary disease, one-lung ventilation and, 442–443 in patients undergoing pulmonary resec-

tion, 421–424

Circulatory changes, regional, in laparoscopy, 6–9

Circulatory stagnant hypoxia, 781–782 Citrate intoxication, as complication of massive transfusion, 644–645

Clonidine, for prophylaxis of myocardial ischemia, 655

CO₂ absorption, as cardiovascular effect during laparoscopy, 5

Coagulopathies, combined dilutional and consumptive, treatment of, 644

complex, as complication of massive transfusion, 642-643

consumptive, as complication of massive transfusion, 640

dilutional, as complication of massive transfusion, 639–640

diagnosis and treatment of, 641-642 transfusion-related, diagnosis and treatment of, 641

CO₂ insufflation, advantages and disadvantages of, for pediatric laparoscopy, 71–72 complications from, in thoracoscopy.

complications from, in thoracoscopy, 192 for pediatric thoracoscopy, 182–184

Colon resection, laparoscopic, 114–115 Colorimetric end-tidal carbon dioxide detection, for verifying endotracheal position, 824–825

Combined spinal-epidural anesthesia (CSEA), for laparoscopy, 48–49

Complete heart block, as pediatric cardiac emergency, anesthetic management, 297–298

cause, 296-297

clinical presentation, 297

Complex coagulopathies, as complication of massive transfusion, 642–643
Computed tomography, for diagnosis of

hydrocephalus, 210–211

Congenital cardiac lesions, as pediatric cardiac emergency, 287–288 anesthetic management, 291–292 indications for emergency cardiac catheterization, 288–291

Congenital diaphragmatic hernia, as neonatal surgical emergency,

268–271 anesthetic management, 271–274

anestnenc management, 271–274
Congestive heart failure, as pediatric
cardiac emergency, anesthetic
management, 304
cause, 301–302

clinical presentation, 302–303 medical management, 303–304

Consumptive coagulopathies, as complication of massive transfusion, 640

Continuous positive airway pressure, to nondependent lung, in one-lung ventilation, 482–484

Coronary artery bypass surgery, interventions based on transesophageal echocardiography during, 660-661

Coronary artery disease, transesophageal echocardiographic assessment of, 756–758

Corticosteroids, for secondary treatment of anaphylaxis, 713

Cranial dysraphism. See Neural tube defects. Croup, 245–246 treatment, 246–249 airway support, 248-249

Cuff maneuvers and neck palpation, for verifying, endotracheal position, 818 tracheal tube insertion depth, 833

Cyanide toxicity, hypoxia from, 783–784 diagnosis and treatment of, 796–797

Dantrolene, for malignant hyperthermia syndrome, 373–374

Desaturation, prediction of, during onelung ventilation for thoracic surgery, 427–429

Desflurane, for airway surgery, 503

Dexmedetomidine, for prophylaxis of myocardial ischemia, 655

Dextran, as fluid distention medium for hysteroscopy, 131–132

Diastolic dysfunction, as early marker of myocardial ischemia, 663–664

Difficult airways, lung isolation in patients with, 470

Univent tubes and, 471-472

Diffusion limitation, as cause of hypoxia,

diagnosis of, 792

Dilutional coagulopathy, as complication of massive transfusion, 639–640 diagnosis and treatment of, 641–642

Diphosphoglycerate, decreases in, as complication of massive transfusion, 645

Disaggregation phenomenon, postthoracotomy analgesia for, 621–622

Do₂ for assessing adequacy of oxygen delivery in massively bleeding patient, 636

Dobutamine, for secondary treatment of anaphylaxis, 712

Dopamine, for improving outcome after oliguria, 873–874

for secondary treatment of anaphylaxis, 712

Doppler ultrasonography, transcranial, for diagnosis of hydrocephalus, 211–212 as measure of brain hypoxia and ischemia, 806

for monitoring air embolism, 690 transthoracic, for monitoring air embolism, 687–688

Double-lumen tracheal tubes, for thoracoscopy, 163–164, 189–191

Down lung syndrome, as complication of thoracoscopy, 195

Duodenal obstruction, as neonatal surgical emergency, 279

Dysrhythmias, from laparoscopy, 93

Echocardiography, transesophageal. See Transesophageal echocardiographic examination; Transesophageal echocardiography.

Edema, pulmonary. See *Pulmonary edema*. Edrophonium, for reversing neuromuscular blockade, 918, 919, 920

Ejection fraction, as late marker of ischemia, 665–666

Electrocardiography, for monitoring, air embolism, 690

cardiopulmonary resuscitation, 718–719

myocardial ischemia, 656–658 Electroencylography, as measure of brain

hypoxia and ischemia, 806–807 Embolism, air and gas, cause, 685–686 intraoperative monitoring strategy, 690–691

monitoring and diagnosis, 686-690 amniotic fluid, 696-698

fat, clinical presentation, 691–694 intraoperative monitoring, 694–696 pulmonary. See *Pulmonary embolus*.

Emphysema treatment, combined with lung cancer surgery, 423

lung volume reduction surgery for, 592–594

present state of, 592 Endobronchial intubation, difficult, in

pulmonary resection, 427 Endobronchial tubes, double-lumen, in one-lung ventilation, 478–480 Endometriosis, pain mapping for, 50

Endoscopy, fetal, 85

Endosuites, 119 Endothelin–1 inhibitors, for improving outcome after oliguria, 875–876

Endotracheal position, verification of, 813–839

methods of, 814-815

nethods of, 814–815 acoustic reflectometry, 829–830 auscultation of breath sounds, 816 Beck Airway Air Flow Monitor, 829 chest radiography, 830 combined auscultation of

epigastrium and axillae, 817 cuff maneuvers and neck palpation, 818

direct visualization of tracheal tube between cords, 815

epigastric auscultation and observation for abdominal distension, 817

esophageal detector device/selfinflating bulb, 825–829 identification of carbon dioxide in

exhaled gas, 821–825 observation and palpation of chest movements, 816 pulse oximetry, 820–821 reservoir bag compliance and refilling, 817–818

reservoir bag movements during spontaneous breathing, 818 sound of expelled gases during

sternal compression, 818–819 transtracheal illumination, 820 tube condensation of water vapor, 819

use of flexible fiberoptic bronchoscopes, 819–820 verification of tracheal tube insertion

depth, 830–831

methods of, capnography, 834 chest radiography, 834 cuff maneuvers and neck palpation, 833

direct visualization of tube and its cuff, 831-832

limiting excessive movement of tube, 832–833

observation and palpation of chest movements and auscultation of breath sounds, 833

referencing marks on tube before and after intubation, 831 self-inflating bulb, 834 transtracheal illumination, 833–834

use of fiberoptic scopes, 833

Endotracheal tubes, double-lumen, for

lung isolation, 455–456 complications from, 465–466 tracheostomies and, 465 tube exchanger guidewire for, 470–471

left-sided double-lumen, for lung isolation, choosing proper size, 456– 457

placement and positioning, 457–462 pathology caused by, in one-lung ventilation, 440–442

right-sided double-lumen, for lung isolation, 463-464

placement and positioning, 464–465 single-lumen, with enclosed bronchial blocker (Univent), 466–468

with wire-guided endobronchial blocker, placement and positioning, 468–469

End-stage lung disease, thoracic surgery for patients with, choice of anesthetic drugs, 582–583

early postoperative management, 587–588

general issues, 587 mechanical ventilation, 583–587 preoperative evaluation, 582 role of bispectral index monitoring, End-tidal carbon monoxide monitoring, during cardiopulmonary resuscitation, 723–724

End-tidal nitrogen, for monitoring air embolism, 688–689

Enflurane, during one-lung ventilation, 487 Epidural anesthesia, for laparoscopy, 48 Epidural block, for post-thoracotomy analgesia, 618

Epigastric auscultation, for verifying endotracheal position, 817

Epiglottitis, acute, clinical presentation, 242 diagnosis, 242–243 principles of management, 243–245

Epinephrine, for pediatric resuscitation outside operating room, 393–394 for treatment of anaphylaxis, 711, 712

Esmolol, for airway surgery, 503 Esophageal atresia and tracheoesophageal fistula, as neonatal surgical

emergency, 274–275 anesthetic management, 275–276

Esophageal detector device/self-inflating bulb, for verifying endotracheal position, 825–829

Extracorporeal membrane oxygenation, for pediatric respiratory failure, 403 Extraperitoneal insufflation, inadvertent, as

complication of laparoscopy, 91–92

Eye emergencies, pediatric, 257-264 anesthetic management, 262-263 clinical presentation, 261 diagnosis, 260 intraocular pressure, 259-260 monitoring, 262 ocular trauma, 257-258 postoperative care, 263 premedication, 261-262 preoperative evaluation, 260-261 terminology, 258 types of injuries, 258-259

Face mask, during thoracoscopy, 150 Fat embolism, clinical presentation, 691–694

intraoperative monitoring, 694–696 Fentanyl, for airway surgery, 503 Fetal endoscopy, 85

Fiberoptic bronchoscopy, anesthetic techniques, general anesthesia, 512–514

topical anesthesia with conscious sedation, 511-512

for confirming double-lumen endotracheal tube placement, 462–463 patient characteristics and physiologic ef-

fects, 510-511 for Univent placement, 467 for verifying, endotracheal position, 819–820

tracheal tube insertion depth, 833

Flow-volume loops, in preoperative assessment for pulmonary resection, 418

Fluid distention media, for hysteroscopy, 127–133

dextran, 131-132 glycine, 128-131

physiologic media, 132-133 sorbitol and mannitol, 131

Fluid overload, from hysteroscopy, 134 Fogarty catheter, as bronchial blocker, for lung isolation, 469–470

Foreign body removal from airway, anesthesia for, 523

Fundoscopic examination, for diagnosis of hydrocephalus, 210

Furosemide, for improving outcome after oliguria, 874–875

Gamete intrafallopian transfer (GIFT), performed under regional anesthesia, 50-51

Gas embolism. See Air and gas embolism. from laparoscopy, 96–98

Gaseous distention, for hysteroscopy, 126–127

Gastric intramucosal pH, for assessing adequacy of oxygen delivery in massively bleeding patient, 636–637

Gastric tonometry, for monitoring splanchnic system, 808

Gastroesophageal reflux disease, Nissen fundoplication for, 110

Gastrointestinal injuries, from laparoscopy, 99

Gastroschisis, anesthetic management, 277–278

as neonatal surgical emergency, 277 Glycine, as fluid distention medium for hysteroscopy, 128–131

Graft vs. host disease, from blood transfusion, 347

Gravity, influencing blood flow distribution during one-lung ventilation, 439–440

Head trauma, pediatric, anesthetic management, 319–323 evaluation, 317–318 general management, 318–319 overview, 316

Heart block, complete. See Complete heart block.

Heart sounds, for monitoring air embolism, 690

Hematocrit, for assessing adequacy of oxygen delivery in massively bleeding patient, 634-635

Hemodynamic abnormalities, as cause of myocardial ischemia, 651-652

Hemodynamic changes, during one-lung ventilation, for thoracoscopy, 144, 146 during two-lung ventilation, for thoracoscopy, 148-149

Hemodynamic complications, from

laparoscopy, 92–94 Hemolytic reactions, to blood transfusion,

Hemorrhage, from hysteroscopy, 134 Heparin, for treatment of pulmonary thromboembolism, 683, 684, 685

Hernia, congenital diaphragmatic, as neonatal surgical emergency, 268-271 inguinal, laparoscopic repair of, 110-113

High-frequency jet ventilation, in airway surgery, 500-501, 506-507, 529-531 in children, 401-402

in one-lung ventilation, 484

High-frequency oscillation, in airway surgery, 502, 507-509

High-frequency oscillatory ventilation, in children, 400-401

High-frequency positive pressure ventilation, in airway surgery, 501-502, 507

Histocytic hypoxia, 782-784 treatment of, 794-797

Horner's syndrome, as complication of

thoracoscopy, 195 Hydrocephalus, 207–218 causes, 207-209

diagnosis, with, computed tomography, 210-211

fundoscopic examination, 210

lumbar puncture, 210 magnetic resonance imaging, 211 ophthalmodynamometry, 211 transcranial Doppler, 211-212

perioperative anesthesia management, 214-215

anesthesia, 214-215 premedication, 214

postoperative care, 215 presentation, 209-210

shunting for, 212-214 treatment modalities, 212

Hyperbaric oxygenation, for ventilation in airway surgery, 531

Hypercapnia, as complication of laparoscopy, 94-95

during one-lung ventilation, for thoracosсору, 144

during two-lung ventilation, for thoracoscopy, 147-148

Hyperkalemia, from blood transfusion, 345 as complication of massive transfusion, 645-646

intraoperative coagulopathy and, 355-

Hypocalcemia, from blood transfusion, 345, 347

Hyponatremia, from hysteroscopy, 134 Hypotension, intraoperative coagulopathy and, 358-359

Hypothermia, from blood transfusion, 344-345

as complication of massive transfusion, 640-641

intraoperative, in patients with endstage lung disease, 587

Hypoventilation, as cause of hypoxia, 773-774

diagnosis of, 790-791

Hypoxemia, as complication of laparoscopy, 94

during one-lung ventilation, for thoracoscopy, 142-144, 145

Hypoxia, perioperative, 769-812 arterial and venous blood gas monitoring, 798

causes of, anemic hypoxia, 778-781 circulatory stagnant hypoxia, 781-782

environmental and pulmonaryrelated, 770-778

histocytic hypoxia, 782-784 clinical monitoring of skin and tissues,

diagnosis and treatment, 789 for anemia-related causes, 793-794 brief review, based on clinical environment, 797

for environmental and pulmonaryrelated causes, 790-793 for histocytic causes, 794-797 for impaired cardiac output as

cause, 794 measurement of global vs. specific organ oxygenation, 804-808

physiologic compensatory responses to, cardiovascular, 786

neurologic, 784-786 pulmonary, 786-789

pulse oximetry for detecting, 798-799 dyshemoglobin-related artifacts, 802-803

functional vs. fractional saturation. 799-801

general principles, 799 miscellaneous additional artifacts, 803-804

physical limitations, 801-802 Hypoxic pulmonary vasoconstriction, factors influencing, 436-438

monitoring, during cardiopulmonary

for measuring renal perfusion, 867-868

in renal failure patients, 851-853

Invasive arterial blood pressure

resuscitation, 722-723

and, 653

Ischemia, in patients undergoing

pulmonary resection, 420

Ischemic cascade, myocardial ischemia

Isoproterenol, for secondary treatment of

in one-lung ventilation, 485-486 potentiators of, in one-lung ventilation, 489-490

Hysteroscopy, anesthesia for, 125-140 for diagnostic hysteroscopy, 135 for surgical hysteroscopy, 135-137 complications of, cervical trauma, 134 fluid overload and hyponatremia, 134 hemorrhage, 134 infection, 134 procedural issues leading to, 133

uterine perforation, 134 surgical procedure, fluid distention me-

dia, 127-133 dextran, 131-132 glycine, 128-131 physiologic media, 132-133 sorbitol and mannitol, 131 gaseous distention, 126-127

Jejunoileal atresia, as neonatal surgical emergency, 279 Jugular venous saturation monitoring, as

measure of brain hypoxia and

ischemia, 807-808

anaphylaxis, 712

Immune response, to laparoscopy, 12-13 Immunosuppression, from blood transfusion, 344 Imperforate anus, as neonatal surgical emergency, 280

Indwelling arterial catheter, for monitoring cardiopulmonary resuscitation, 722-723

Infection, from hysteroscopy, 134 from thoracoscopy, 195 Inguinal block, for laparoscopy, 46-47 Inguinal hernia, laparoscopic repair of,

Inhaled vs. intravenous anesthetics, during one-lung ventilation, 486-489

Inspired oxygen fraction, in one-lung ventilation, 480

Intercostal nerve block, for postthoracotomy analgesia, 617

Intermittent positive pressure ventilation, for tracheal resection and reconstruction, 527-529

Interpleural local anesthetics, for postthoracotomy analgesia, 617 Intestinal obstruction, as neonatal surgical

emergency, 279-281 Intra-abdominal pressure, in pediatric

laparoscopy, cardiovascular effects,

endocrinologic effects, 76-77 neurologic effects, 76 respiratory effects, 74-76

Intraocular pressure, pediatric eye emergencies and, 259-260

Intrathoracic intercostal nerve blocks, complications of, from thoracoscopy, 193-194

Intravenous anesthetics, vs. inhaled anesthetics, during one-lung ventilation, 486-489

Ketamine, during one-lung ventilation, 487

Labor, preterm, prevention of, from

laparoscopy during pregnancy, 60 Laparoscopy, anesthesia for, with emphasis on outpatient laparoscopy, 21-41 anesthetic challenges, 22-23 choice of anesthetic technique, 24 controlled or spontaneous ventilation, 35 controversies, 33 laryngeal mask airway used in, 33 - 35

microlaparoscopy in the office setting, 27

neuromuscular blocking drugs, 25-26

nitrous oxide, 25 other anesthetic techniques, 27 outpatient laparoscopic

cholecystectomy, 36 physiologic changes, 23-24 postoperative morbidity, 27-28 postoperative nausea and vomiting, 32 - 33

postoperative pain management, local anesthesia, 28-29

multimodal analgesia techniques, 30 - 31

nonsteroidal anti-inflammatory drugs, 29-30 opioids, 30

other analgesic techniques, 31 surgical technique, 31-32 in pediatric patient, 69-88

clinical experience in, 84

changes, 6-7

Laparoscopy (Continued) gastrointestinal changes, 7-8 complications, 85 hepatoportal changes, 7 fetal endoscopy, 85 lower limb changes, 8-9 immediate postoperative care, 82 renal changes, 8 overview of, 69-70 respiratory effects of pneumoperitoperioperative management, neum, gas exchange, 9-10 induction of anesthesia, 78 lung mechanics, 11 laryngeal mask airway, 80-82 postoperative pulmonary changes, 11-12 monitoring, 78-79 perioperative care, 79-80 during pregnancy, 57-67 premedication, 77-78 alternatives to pneumoperitoneum, 64 preoperative evaluation, 77 vs. conventional surgery, 61-62 preoperative investigations, 77 fetal issues, 58-60 physiologic changes during, maternal issues, 58 creation of monitoring considerations, 62-64 pneumoperitoneum, physiologic effects of pneumoperitoadvantages and neum in the parturient, 60-61 disadvantages of CO2 for prevention of preterm labor, 60 insufflation, 71-72 timing of surgery, 64 gasless laparoscopy, 72 procedures performed with, 1-2, 21-22, other gases for pneumoperitoneum, 72 regional anesthesia for, 43-55 intra-abdominal pressure, advantages and disadvantages of recardiovascular effects, 72-74 gional/local anesthesia, 44 endocrinologic effects, 76-77 local anesthesia techniques, caudal epineurologic effects, 76 dural block, 49 combined spinal-epidural anesthesia respiratory effects, 74-76 (CSEA), 48-49 postoperative nausea and vomiting, 83-84 epidural anesthesia, 48 postoperative pain management, inguinal block, 46-47 82-83 rectus sheath block, 46 complications of, 89-105 spinal anesthesia, 47-48 cardiovascular, 92-94 physiologic considerations for laparosgas embolism, 96-98 copy in an awake patient, 44-45 gastrointestinal injuries, 99 recovery and discharge after, 52 inadvertent extraperitoneal insufflasafety and patient satisfaction, 52 tion, 91-92 surgical procedures performed under perioperative, incidence of, 90-91 regional anesthesia, diagnostic lapneumothorax, pneumomediastinum, paroscopy, 49-50 and pneumopericardium, 95-96 gamete transfer, 50-51 postoperative, 100-101 laparoscopic tubal ligation, 51 pulmonary, 94-95 pain mapping, 50 urinary tract injuries, 100 surgical aspects and future developvascular injuries, 98-99 ments of, 107-124 contraindications to, 107 adrenalectomy and nephrectomy, 109 diagnostic, performed under regional anambulatory laparoscopy, 116-119 esthesia, 49-50 colon resection, 114-115 gasless, 13, 72 gastroesophageal reflux disease, 110 patient population for, 2 inguinal hernia, 110-113 physiologic changes during, 1-19 investigational procedures, 115-116 cardiovascular effects of pneumoperimorbid obesity, 113 toneum, 2-6 operating room of the future, 119-120 CO₂ absorption, 5 Laryngeal mask airway, for laparoscopy, mechanical effects of pneumoperito-33-35 neum, 4 in pediatric patient, 80-82 for thoracoscopy, 150 neurohormonal response, 5-6 patient position, 4-5 Laryngeal trauma, in children, 254 immune response, 12-13 Laryngobronchoscopy, anesthesia for, regional circulatory changes, cerebral

patient positioning and monitoring,

509-510

Laryngoscopy, direct, anesthetic and ventilation techniques, 519–521 patient characteristics and physiologic effects, 519

suspension, laser resection by way of, 521–523

Laser resection by way of suspension laryngoscopy or bronchoscopy, 521–523

Lateral decubitus position, physiology of, in thoracoscopy, 146

Lavage, whole lung. See Whole lung lavage. Left atrial appendage, examined with transesophageal echocardiography, 734–735

Left atrium, examined with transesophageal echocardiography, 734–735

Left ventricle, examining with transesophageal echocardiography, 740

Liver disease, intraoperative coagulopathy with, 354

Local anesthesia, for laparoscopy, 46–49 postoperative pain with, 28–29 for pediatric thoracoscopy, 176–177

Low-frequency jet ventilation, in airway surgery, 498–499, 529

Lumbar puncture, for diagnosis of hydrocephalus, 210

Lung cancer, assessment, 425 surgery, combined with emphysema surgery, 423

Lung herniation through chest wall, as complication of thoracoscopy, 196–197 Lung isolation techniques, **455–474**

auscultation vs. fiberoptic bronchoscopy, 462–463

double-lumen endotracheal tubes, 455-456

complications from, 465-466 tracheostomies and, 465

Fogarty catheter as bronchial blocker, 469-470

left-sided double-lumen endotracheal tubes, choosing proper size, 456–457 placement and positioning, 457–462

in patients with difficult airways, 470 right-sided double-lumen endotracheal tubes, 463–464

placement and positioning, 464-465 single-lumen endotracheal tube with wire-guided endobronchial blocker, 468-469

single-lumen tube with enclosed bronchial blocker (Univent), 466 choosing proper size of Univent tube,

choosing proper size of Univent to

467

complications from, 468 fiberoptic bronchoscopy for Univents, placement and positioning of Univent tubes, 467 selective lobar blockade, 467–468 tube exchanger guidewire for doublelumen endotracheal tubes, 470–471

lumen endotracheal tubes, 470–471 Univent tubes and difficult airways, 471–472

Lung parenchymal function, in prethoracotomy respiratory assessment, 416

Lung-sparing surgery, 413–417 assessment of respiratory function for, cardiopulmonary interaction, 416– 417

lung parenchymal function, 416 respiratory mechanics, 414–416 major respiratory complications from, 414

Lung transplantation, lessons from, for everyday thoracic anesthesia, 581–590

choice of anesthetic drugs, 582–583 early postoperative management, 587–588

general issues, 587 mechanical ventilation, 583–587 preoperative evaluation, 582 role of bispectral index monitoring, 583

Lung volume reduction surgery, anesthesia considerations for, **591–609** general anesthesia, drugs, 605 mechanical ventilation, 605–606 monitoring, 605 patient warming, 606

thoracic epidural analgesia, 604 changes in diaphragmatic function after, 597–598

changes in lung function testing and ventilatory mechanics after, 595–596 early extubation after, 606

for emphysema, 592–594

mechanisms of functional improvement after, 594

optimal conduct of, patient selection, functional criteria, 600–601 general criteria, 598–599 morphologic criteria, 599–600

preoperative patient preparation, pharmacologic, 601

preoperative exercise program, 601–602

psychologic preparation, 602, 604 present state of emphysema treatment, 592

Magnetic resonance imaging, for diagnosis of hydrocephalus, 211

Malignant disease dissemination, as complication of thoracoscopy, 195–196 Malignant hyperthermia syndrome, 367–382

clinical presentation, 367–369 clinical therapy after dantrolene, 373–374 counseling by anesthesiologist on, 376– 378

principles for diagnosing, difference between hyperthermia and fever, 369 difference between masseter spasm and masseter spasm after succinylcholine use, 370–371

importance of respiratory and metabolic acidosis, 371–372

normal timeframe of attacks, 372 presence of rigidity or hyperthermia, 372–373

testing for, 375-376

Malrotation and volvulus, as neonatal surgical emergency, 280

Mannitol, as fluid distention medium for hysteroscopy, 131

for improving outcome after oliguria, 874

Masseter spasm, true, vs. masseter spasm from succinylcholine use, 370–371 Massively bleeding patient, 633–649

assessing adequacy of oxygen delivery, 633–638

Do₂, Vo₂, and gastric intramucosal pH, 636-637

pH, serum lactate, and mixed venous oxygen saturation, 635–636 red blood cell transfusion trigger, 637–

vital signs, hematocrit, and central

pressures, 634–635 complications of massive transfusion, 638–647

acid-base changes, 645 citrate intoxication, 644-645

combined dilutional and consumptive coagulopathy, treatment of, 644 complex coagulopathies, 642–643

consumptive coagulopathy, 640 decreases in 2,3-diphosphoglycerate, 645

dilutional coagulopathy, 639–640 diagnosis and treatment of, 641–642 hyperkalemia, 645–646 hypothermia, 640–641

microaggregate delivery, 646-647 volume overload, 646

Mechanical ventilation, for lung volume reduction surgery, 605–606 in thoracic surgery for end-stage lung

disease, 583–587 Meconium ileus, as neonatal surgical emergency, 280 Mediastinal mass, adverse event reporting, 575

anesthesia for patients with, **559–579** induction and intubation, 570–571 in myasthenia gravis, 574–575 tracheal resection, 572–573 tracheal stenting, 571–572 ventilation, 571

history, 559-560 pathology, 562-563

preoperative evaluation, diagnosis by radiologic techniques, 566–567 respiratory function tests, 567–569

right heart and pulmonary vascular compression, 564-565

in right heart and pulmonary vascular compression, anesthetic management of, 574

superior vena cava syndrome, 563–564 anesthetic management of, 573 symptoms and signs, 563

thymic tumors, 565–566 Mediastinum, anatomy, anterosuperior mediastinum, 560–561

posterior mediastinum, 561–562 visceral or middle mediastinum, 561 Methemoglobin, as artifact of pulse

oximetry, 802 Microaggregate delivery, as complication of massive transfusion, 646–647

Microlaparoscopy in office setting, 27 Milrinone, for secondary treatment of anaphylaxis, 713

Minimally invasive surgery, anesthesia for, issue on, 1–205

Mitral valve, examining with transesophageal echocardiography, 737–740

Mivacurium, for airway surgery, 504 Mixed venous oxygen saturation, for assessing adequacy of oxygen delivery in massively bleeding patient, 636

Monitoring during critical events, anaphylaxis, 705–715

arterial blood gas and pH analysis, 885-912

bispectral index monitoring, 947–966 cardiac arrest and monitoring, 717–726 issue on, 633–987 massively bleeding nations 633–649

massively bleeding patient, 633–649 monitoring for suspected pulmonary embolus, 673–703

myocardial ischemia, 651–672 neuromuscular blockade, 913–922 oliguria, 841–883

performing complete transesophageal echocardiographic examination, 727–767

perioperative hypoxia, 769–812 spinal cord monitoring with evoked potentials, 923–945 verification of endotracheal position, 813-839

Motor-evoked potentials, modalities to monitor, 927–930

myogenic, application of, after transcranial electrical stimulation, 930–931 for spinal cord monitoring, 933–934

Multimodal analgesia techniques, for postoperative pain from laparoscopy, 30–31

Myasthenia gravis, anesthetic management for, 574–575

Myelomeningocele. See *Neural tube defects*. Myocardial ischemia, **651–672**

interventions terminating, 666–668 intraoperative electrocardiographic monitoring of, diagnostic methods, 656– 657

indications, 656

significance of ST deviation during noncardiac surgery, 657–658

perioperative, significance of, choice of monitors, 653–654

hemodynamic abnormalities as cause of, 651–652 ischemic cascade, 653

other causes of, 652–653 pharmacologic prophylaxis

pharmacologic prophylaxis of ischemia, 654–655 pulmonary artery catheter monitoring

of, indications, 658–659 methods of diagnosis, 659–660 preoperative optimization of measure-

ments, 659 transesophageal echocardiography monitoring for, indications in noncardiac and cardiac surgery, 660–661 methods of diagnosis, 661–666

Nausea and vomiting, postoperative, from laparoscopy, 32–33 in pediatric patient, 83–84

Necrotizing enterocolitis, as neonatal surgical emergency, 278 anesthetic management, 278–279

Negative-pressure pulmonary edema, in children, 384–385

Neonatal surgical emergencies, congenital diaphragmatic hernia, 268–271 anesthetic management, 271–274

esophageal atresia and tracheoesophageal fistula, 274–275

anesthetic management, 275–276 intestinal obstruction, duodenal obstruction, 279

imperforate anus, 280 anesthetic management, 280–281 jejunoileal atresia, 279 malrotation and volvulus, 280 meconium ileus, 280

necrotizing enterocolitis, 278 anesthetic management, 278–279

omphalocele and gastroschisis, 276–277 anesthetic management, 277–278 pyloric stenosis, 265–266

anesthetic management, 266–268 Neostigmine, for reversing neuromuscular

blockade, 918, 919, 920 Nephrectomy, laparoscopic, 109 Nerve blocks, intrathoracic intercostal,

complications of, from thoracoscopy, 193–194

Neural tube defects, 219–228 associated anomalies, 220–221 cause, 219–220

clinical presentation, 221 diagnosis, 221–222

management, early maternal, 222

postnatal, management of anesthesia, 224–225 postoperative care, 226

preoperative evaluation, 223 preparation for surgery, 224 prenatal, 222–223

Neuroanesthesia, pediatric, arteriovenous malformations. See Arteriovenous malformations.

hydrocephalus. See *Hydrocephalus*. neural tube defects. See *Neural tube defects*.

Neurogenic pulmonary edema, in children, 385–386

Neuromuscular blockade, 913–922 assessment of, clinical evaluation, 916 evoked responses to nerve stimulation, 916–917

recurarization, 917–918 pharmacologic reversal of, choice and dose of agents, 920 factors affecting, 918–920

mechanism of action, 918 neostigmine block, 918

pharmacodynamics, 918 in renal failure patients, 856

residual, 914–916 Neuromuscular blocking drugs, for laparoscopy, 25–26

Nicardipine, for prophylaxis of myocardial ischemia, 655

Nissen fundoplication, for gastroesophageal reflux disease, 110

Nitric oxide, inhalation, for pediatric respiratory failure, 402

and one-lung ventilation, 490–492 Nitroglycerin, for treating myocardial ischemia, 655

Nitrous oxide, for laparoscopy, 25 in renal failure patients, 855–856

Nocturnal hypoxemia, with chronic obstructive pulmonary disease, 422 Nonsteroidal anti-inflammatory drugs (NSAIDs), for postoperative pain from laparoscopy, 29-30

for post-thoracotomy analgesia, 620-621 Norepinephrine, for pediatric resuscitation outside operating room, 394 for secondary treatment of anaphylaxis, 712

Obesity, morbid, laparoscopy and, 113 Obstructive laryngeal papillomatosis, 249-250 anesthetic management, 250-252

Ocular trauma. See Eye emergencies, pediatric.

Oliguria, 841-883

in abdominal compartment syndrome, 877-878

direct and indirect measures of renal function, monitoring intraoperative pressure and volume status, 867-

monitoring urine output, 866-867 drug administration for, atrial natriuretic hormone and anaritide, 875 calcium channel blockers, 874 dopamine, 873-874

endothelin-1 inhibitors, 875-876 osmotic agents and diuretics, 874-875

influence of anesthesia on urine formation, 849-858

pathogenesis of perioperative acute renal failure, 858-866

physiology of urine formation, 845-849 preoperative identification and preparation of patients at high risk for perioperative renal dysfunction, 842-845 rational approach to diagnosis, 870-873

in renal transplantation, 876-87 Omphalocele, as neonatal surgical

emergency, 276-277 anesthetic management, 277-278 One-lung ventilation, auto-positive end-

expiratory pressure during, 443-445 carbon dioxide elimination during, 438-

choice of anesthesia and hypoxic pulmonary vasoconstriction, 485-486 intravenous vs. inhaled anesthetics, 486-489

complications related to, in thoracoscopy, 191-192

difficulty obtaining, during thoracoscopy, in pediatric patient, 197 effects of positive end-expiratory pressure, 448-449

factors influencing hypoxic pulmonary vasoconstriction, 436-438 general anesthesia and, for pediatric

thoracoscopy, 177-181

indications, absolute, 475-476 relative, 476

management of, 475-495

bronchial blocker, 478

clinical approach to, 484-485

confirming correct position of tube, 477-477

continuous positive airway pressure to nondependent lung, 482-484

double-lumen endobronchial tubes. 478-480

high-frequency ventilation, 484 inspired oxygen fraction, 480

positive end-expiratory pressure to dependent lung, 481-482

tidal volume and respiratory rate, 480-481

Univent tube, 478

nitric oxide and, 490-492

other factors influencing blood flow distribution during, 439 gravity, 439-440

pathophysiology of, 435-453

pathology caused by endotracheal tubes, 440-442

pathology of patients, 442-443 safety of intrinsic positive end-expiratory pressure, 448-449

ventilatory management, 445-448

physiology of, 476-477 during thoracoscopy, hemodynamic changes, 144, 146

hypercapnia, 144

oxygenation and hypoxemia, 142-144, 145

potentiators of hypoxic pulmonary vasoconstriction, 489-490

prediction of desaturation during, 427-429

for thoracoscopy, 163

Open heart surgery, pediatric,

intraoperative coagulopathy with, 353 Operating room of future, 119-20

Ophthalmodynamometry, for diagnosis of hydrocephalus, 211

Opioids, for postoperative pain from laparoscopy, 30

for post-thoracotomy analgesia, 619-620 Otolaryngologic emergencies, pediatric,

acute epiglottitis, clinical presentation, 242 diagnosis, 242-243

principles of management, 243-245 aspirated foreign bodies, 239

anesthetic management, 240-242 croup, 245-246

treatment, 246–249 airway support, 248–249 laryngeal and tracheal trauma, 254 obstructive laryngeal papillomatosis, 249–250

anesthetic management, 250–252 peritonsillar abscess, anesthetic management, 252–253

post-tonsillectomy bleeding, anesthetic management, 238–239

preoperative preparation, 237–238 Oxygenation and hypoxemia, during onelung ventilation, for thoracoscopy,

142–144, 145 during two-lung ventilation, for thoracoscopy, 147

Oxygen delivery, assessing adequacy of, in massively bleeding patient, 633–638

Do₂, Vo₂, and gastric intramucosal pH, 636-637

pH, serum lactate, and mixed venous oxygen saturation, 635–636

red blood cell transfusion trigger, 637-638

vital signs, hematocrit, and central pressures, 634-635

Pain, chronic, as complication of thoracoscopy, 196

Pain management, postoperative, after laparoscopy, 28–32 in pediatric patient, 82–83 after thoracoscopy, 168

after thoracoscopy, 168 pediatric, 184

Pain mapping, performed under regional anesthesia, 50

Paravertebral block, for post-thoracotomy analgesia, 617–618 Partial liquid ventilation, for pediatric

respiratory failure, 402–403
Pediatric emergencies, acute pulmonary

edema, 383–389 eye emergencies, 257–264

issue on, 207–409 malignant hyperthermia syndrome, 367– 382

neonatal surgical emergencies, 265–286 otolaryngologic emergencies, 237–256 pediatric cardiac emergencies, 287–308

pediatric neuroanesthesia, arteriovenous malformations, 229–235 hydrocephalus, 207–218

neural tube defects, 219–228 pediatric resuscitation in the operating room, 339–365

pediatric trauma, 309-337

pediatric ventilation outside the operating room, 399-404

resuscitation of pediatric patient outside the operating room, 391–398

Pediatric patient, anesthesia for laparoscopy in, 69–88. See also Laparoscopy, anesthesia for, in pediatric patient.

thoracoscopy in, 173–186. See also Thoracoscopy, in pediatric patient.

complications from, 197–198 Peritonsillar abscess, anesthetic

management, 252–253 pH and base deficit, for assessing adequacy of oxygen delivery in massively bleeding patient, 635

Phosphodiesterase inhibitors, for secondary treatment of anaphylaxis, 712–713

Physiotherapy, for chronic obstructive pulmonary disease, 424

PIO₂, low, as cause of hypoxia, 771–773 diagnosis of, 790

Pneumomediastinum, as complication of laparoscopy, 95–96
Pneumopericardium, as complication of

laparoscopy, 95–96

Pneumoperitoneum, alternatives to, during laparoscopy in pregnancy, 64 cardiovascular effects of, in laparoscopy, 2–6

creation of, in pediatric patient, 70–72 physiologic effects of, in parturient, during laparoscopy, 60–61 respiratory effects of, 9–12

Pneumothorax, as complication of laparoscopy, 95–96

Positive end-expiratory pressure, to dependent lung, in one-lung ventilation, 481–482

intrinsic, safety of, 448–449 Post-thoracotomy analgesia, 611–625

cost dynamic, 613–614 dynamics of pain relief services, casemix dynamic, 613

token case, 612–613 gold standard, 615–616

level of care dynamic, 614

local anesthetic techniques, 616–617 epidural block, 618 intercostal nerve block, 617 interpleural local anesthetics, 617 other, 618–619

paravertebral block, 617–618 nonsteroidal anti-inflammatory drugs, 620–621

opioids, epidural, 619–620 intrathecal, 619 intravenous, 619 perception of pain, 616 Post-thoracotomy analgesia (Continued)
phenomenon of disaggregation, 621–622
postoperative care for thoracic surgery,
614
quality in, 615
setting standards, 615
temporal dynamic, 614
ways forward, 622
Pregnancy, Japaroscopy during, 57–67
alternatives to pneumoperitoneum, 64

Pregnancy, laparoscopy during, 57–67 alternatives to pneumoperitoneum, 64 vs. conventional surgery, 61–62 fetal issues, 58–60 maternal issues, 58 monitoring considerations, 62–64 physiologic effects of

pneumoperitoneum in the parturient, 60–61 prevention of preterm labor, 60

timing of surgery, 64

Premedication, for pulmonary resection, 426

Propofol, for airway surgery, 503 during one-lung ventilation, 487–489 for thoracic surgery for end-stage lung disease, 582–583

Pulmonary arterial catheterization, for measuring renal perfusion, 869 for monitoring myocardial ischemia, 658–660

Pulmonary artery pressure, for monitoring air embolism, 689

Pulmonary complications, from laparoscopy, 94–95

from thoracoscopy, 191–192, 194–195 Pulmonary edema, acute, in children, 383–389

> cardiogenic pulmonary edema, 386–387

negative-pressure pulmonary edema, 384–385

neurogenic pulmonary edema, 385–386 Pulmonary embolus, suspected,

> monitoring for, 673–703 air and gas embolism, cause, 685–686

intraoperative monitoring strategy, 690-691

monitoring and diagnosis, 686–690

amniotic fluid embolism, 696–698 fat embolism, clinical presentation, 691–694

intraoperative monitoring, 694–696

pulmonary thromboembolism, 673-675

in anesthetized patient, 678–681 in awake patient, 675–678 during treatment, 681–685 Pulmonary resection, preoperative assessment for, 411–433 combination of tests, 418–419 difficult endobronchial intubation, 427 disjoint assessment, 413 final preoperative assessment, 426–427 flow-volume loops, 418 intercurrent medical conditions, age, 419

cardiac disease, 420 chronic obstructive pulmonary disease, combined cancer and emphysema surgery, 423 nocturnal hypoxemia, 422 physiotherapy, 424 preoperative therapy, 423–424 respiratory drive, 421–422 right ventricular dysfunction, 422–423

renal dysfunction, 420–421 lung cancer, 425 lung-sparing surgery, 413–417

perioperative complications, assessment of respiratory function, 414–417

major respiratory complications, 414

postoperative analgesia, 425–426 prediction of desaturation during onelung ventilation, 427–429 premedication, 426

role of anesthesiologists, 412–413 short-term vs. long-term survival, 413 smoking, 424

split-lung function studies, 417–418 ventilation perfusion scintigraphy, 417 Pulmonary vascular studies, before

thoracoscopy, 160 Pulmonary veins, examined with transesophageal echocardiography,

Pulse oximetry, for detecting hypoxia,

dyshemoglobin-related artifacts, 802-803

functional vs. fractional saturation, 799–801

general principles, 799 miscellaneous additional artifacts, 803–804

physical limitations, 801–802 for verifying endotracheal position, 820– 821

Pure α_1 agonists, for pediatric resuscitation outside operating room, 394

Pyloric stenosis, as neonatal surgical emergency, 265–266 anesthetic management, 266–268

Pyridostigmine, for reversing neuromuscular blockade, 918, 919 Rapacuronium, for airway surgery, 504 Rectus sheath block, for laparoscopy, 46 Red blood cell transfusion triggers, for massively bleeding patient, 637-638 Regional anesthesia, for laparoscopy, 43-55 advantages and disadvantages of, 44

local anesthesia techniques, caudal epidural block, 49

combined spinal-epidural anesthesia (CSEA), 48-49

epidural anesthesia, 48 inguinal block, 46-47 rectus sheath block, 46

spinal anesthesia, 47-48 physiologic considerations for, in

awake patient, 44-45 recovery and discharge after, 52 safety and patient satisfaction, 52

surgical procedures performed under, diagnostic laparoscopy, 49-50 gamete transfer, 50-51 laparoscopic tubal ligation, 51

pain mapping, 50 for thoracoscopy, 162-163

pediatric, 176-177 Remifentanil, for airway surgery, 503 for thoracic surgery for end-stage lung disease, 582

Renal dysfunction, in patients undergoing pulmonary resection, 420-421

Renal failure, acute, identification of patient at high risk, 842 pathogenesis, 858-866 risk factors, 843

patients with, general anesthesia in, 850-

regional anesthesia in, 856-858 Renal function, direct and indirect measures of, 866-870

Renal transplantation, oliguria in, 876-877 Reservoir bag, for verifying endotracheal position, 817-818, 818

Respiratory drive, with chronic obstructive pulmonary disease, 421-422

Respiratory failure, pediatric, ventilation after. See Ventilation, pediatric, outside the operating room.

Respiratory function tests, for diagnosing mediastinal mass, 567-569

Respiratory mechanics, in prethoracotomy respiratory assessment, 414-416 Resuscitation, pediatric, in operating room,

cryoprecipitate, 352-353 determining amount of blood to transfuse, 348-351

> fresh frozen plasma, 351 homologous blood transfusion, 342 infectious risks, 342-344 noninfectious complications, 344-345, 347

indications for allogenic transfusion, 347-348

intraoperative fluid administration, 340-342

massive transfusion and intraoperative coagulopathy,

platelets, 351-352

preoperative fasting guidelines, 339-340

special circumstances of intraoperative coagulopathy, arrest secondary to topical vasoconstrictors, 357-358 bradycardia, 356-357

hyperkalemia, 355-356 liver disease, 354

pediatric open heart surgery, 353 resuscitation of intraoperative

arrest and arrhythmias, 354-355

salvaged cell syndrome, 353-354 treatment of hypotension, 358-359 outside operating room, 391-398

access for fluid and drug administration, endotracheal delivery, 393

intraosseous access, 392 intravenous access, 391-392

cardiac drugs, atropine, 396 calcium, 394-395 epinephrine, 393-394 norepinephrine, 394 other alkalinizing agents, 396 pure α₁ agonists, 394 sodium bicarbonate, 395-396

Right heart, examining with transesophageal echocardiography, 740-744

and pulmonary vascular compression, 564-565

anesthetic management for, 574 Right ventricular dysfunction, with chronic obstructive pulmonary disease,

Right ventricular hypertrophy, in patients with end-stage lung disease, 587 Robots, in operating room, 120 Rocuronium, for airway surgery, 504 Roux-en-Y gastric bypass, for morbid obesity, 113-114

Salvaged cell syndrome, intraoperative coagulopathy and, 353-354 Segmental wall motion abnormalities, as

early markers of myocardial ischemia,

prognostic significance of, in myocardial ischemia, 666

Self-inflating bulb, for verifying, endotracheal position, 825–829 tracheal tube insertion depth, 834

Serum lactate assays, for assessing adequacy of oxygen delivery in massively bleeding patient, 635–636

Sevoflurane, for airway surgery, 503 for thoracic surgery for end-stage lung disease, 582–583

Shock, as cause of hypoxia, treatment of, 794

Shunting, for treatment of hydrocephalus, 212-214

Shunt (Qs/Qt), as cause of hypoxia, 776–777

diagnosis of, 791–792

Smoking, effect of, on thoracic surgery patients, 424

Sodium bicarbonate, for pediatric resuscitation outside operating room, 395–396

Sodium lactate, for pediatric resuscitation outside operating room, 396

Somatosensory-evoked potentials, for spinal cord monitoring, 932–933 acquisition, 924–926 clinical applications, 927

influence of anesthetic agents and physiologic factors, 926–927

Sorbitol, as fluid distention medium for hysteroscopy, 131

Spetzler-Martin System, for grading arteriovenous malformations, 231 Spina bifida. See *Neural tube defects*. Spinal anesthesia, for laparoscopy, 47–48 Spinal cord injury, pediatric, anesthetic management, 324–326

overview, 323–324 Spinal cord monitoring, 923–945

with motor-evoked potentials, 933–934 modalities to monitor, 927–930

myogenic, application of, after transcranial electrical stimulation, 930– 931

during thoracoabdominal aneurysm surgery, 936–941

with somatosensory-evoked potentials, 932-933

acquisition, 924-926

clinical application, 927 influence of anesthetic agents and

physiologic factors, 926–927 during thoracoabdominal aneurysm surgery, 935–936

during thoracoabdominal aneurysm surgery, 934-941

Spirometry, before thoracoscopy, 159–160 Split-lung function studies, in preoperative assessment for pulmonary resection, 417–418 before thoracoscopy, 160 Spontaneous ventilation, in airway surgery, 531

during thoracoscopy, 149–150 ST deviation, prognostic significance of, during noncardiac and cardiac

surgery, 657–658 Sternal compression, sound of expelled gases during, for verifying endotracheal position, 818–819

Succinylcholine, for airway surgery, 504 masseter spasm from, 370–371

Superior vena cava syndrome, 563–564 anesthetic management for, 573

Supraventricular tachycardia, as pediatric cardiac emergency, anesthetic management, 296 cause, 293–294 clinical presentation, 294

clinical presentation, 294 medical management, 295–296

Tamponade and dissection, transesophageal echocardiographic assessment of, 758–759

Thoracic anesthesia, anesthesia considerations for lung volume reduction surgery, 591–609

anesthesia for airway surgery, 497–541 anesthesia for patients with mediastinal mass, 559–579

issue on, 411-632

lessons from lung transplantation for, 581–590

lung isolation techniques, 455–474 management of one-lung ventilation, 475–495

pathophysiology of one-lung ventilation, 435–453

post-thoracotomy analgesia, 611–625 preoperative assessment for pulmonary resection, 411–433

whole lung lavage, 543–558
Thoracic aorta, examined with
transesophageal echocardiogra

transesophageal echocardiography, 749–753

Thoracic epidural analgesia, for lung volume reduction surgery, 604

Thoracic surgery analgesia after See I

Thoracic surgery, analgesia after. See Postthoracotomy analgesia. for patients with end-stage lung disease,

choice of anesthetic drugs, 582–583 early postoperative management, 587– 588

general issues, 587 mechanical ventilation, 583–587 preoperative evaluation, 582 role of bispectral index monitoring, Thoracic trauma, pediatric, anesthetic management, 328–329 overview, 326–328

Thoracoabdominal aneurysm surgery, spinal cord monitoring during, 934–935

with motor-evoked potentials, 936–941 with somatosensory-evoked potentials, 935–936

Thoracoscopy, anesthesia for, **153–171** diagnostic studies, 158

patient history, 155-156 peri-operative management,

alternative techniques for lung isolation, 164–166

anesthetic techniques, 162 double-lumen tracheal tubes, 163–164

general anesthesia, 163 monitoring, 161–162

O₂ insufflation, 166 one-lung ventilation, 163 positioning, 166, 167, 168, 169

postoperative management, 168, 170 postoperative pain management, 168

regional anesthesia, 162–163 termination of thoracoscopy and extubation, 167

physical examination, 157–158 preoperative evaluation, 155 pulmonary function assessment,

158–160 arterial blood gas analysis, 159 pulmonary vascular studies, 160 spirometry, 159–160

split-lung function studies, 160 complications of, **187–200**

intraoperative, cardiac complications, 192

conversion to open thoracotomy, 193

from intrathoracic intercostal nerve blocks, 193–194

related to double-lumen tracheal tube, 189-191

related to one-lung ventilation, 191-192

in pediatric patient, difficulty obtaining one-lung ventilation, 197 intraoperative bleeding, 198 surgical technical difficulties, 197– 198

postoperative, chronic pain, 196 dissemination of malignant disease, 195–196

Horner's syndrome, 195 infection, 195

lung herniation through chest wall, 196–197 pulmonary complications, 194–195 contraindications to, 188–189 diagnostic, indications for, 154 history of, 153–155 laryngeal mask airway and face mask

used during, 150

in pediatric patient, 173–186 CO₂ insufflation, 182–184 complications from, 197–198

perioperative anesthetic care for, 175–182

general anesthesia and one-lung ventilation, 177–181

local and regional anesthetic techniques, 176-177

perioperative management and maintenance of anesthesia, 181– 182

postoperative pain management, 184 premedication and anesthestic induction, 174–175

preoperative evaluation, 174 physiologic changes during, **141–152** physiology of lateral decubitus position, 146

physiology of one-lung ventilation, hemodynamic changes, 144, 146 hypercapnia, 144

oxygenation and hypoxemia, 142-144, 145

physiology of two-lung ventilation, 146–149 hemodynamic changes, 148–149

hypercapnia, 147–148 oxygenation and hypoxemia, 147 spontaneous ventilation during, 149–150 therapeutic, indications for, 154

ventilatory techniques used during, 141-142

video-assisted, selection of surgical facilities for, 155

Thoracotomy, open, conversion to, from thoracoscopy, 193 in pediatric patient, 197

in pediatric patient, 197 Thymic tumors, 565–566

Tidal volume and respiratory rate, in onelung ventilation, 480–481

Tonsillectomy, bleeding after, anesthetic management, 238–239 preoperative preparation, 237–238

Tracheal resection, in anesthetic management of mediastinal mass, 572–573

and reconstruction, anesthesia and ventilation techniques, 526 patient monitoring, 525–526 preoperative assessment and patient characteristics, 524–525

Tracheal stenting, in anesthetic management of mediastinal mass, 571–572 Tracheal trauma, in children, 254 Tracheal tube insertion depth, verification of, 830–831

methods of, capnography, 834 chest radiography, 834 cuff maneuvers and neck palpation, 833

direct visualization of tube and its cuff, 831-832

limiting excessive movement of tube, 832–833

observation and palpation of chest movements and auscultation of breath sounds, 833

referencing marks on tube before and after intubation, 831 self-inflating bulb, 834 transtracheal illumination, 833–834 use of fiberoptic scopes, 833

Tracheal tubes, double-lumen, for thoracoscopy, 163–164, 189–191

Tracheoesophageal fistula, anesthesia for, 533–534

esophageal atresia and, as neonatal surgical emergency, 274–275 anesthetic management, 275–276

Tracheostomy, anesthesia for, 523–524 double-lumen endotracheal tubes and, 465

Transcranial Doppler ultrasonography, for diagnosis of hydrocephalus, 211–212 as measure of brain hypoxia and ischemia, 806

for monitoring air embolism, 690 Transcranial electrical stimulation, application of myogenic motor-evoked potentials after, 930–931

Transesophageal echocardiographic examination, for assessing, coronary artery disease, 756–758 tamponade and dissection, 758–759 valvular function, 755–756

ventricular function, 753–755 complete, general principles, 732–733 image quality and machine settings, 730–731

insertion of probe, 731–732 intraoperative, indications for, 728–729 performing, **727–767**

left atrium, left atrial appendage, and pulmonary veins, 734–735 midesophageal views of, aortic valve, 735–737

left ventricle, 740 mitral valve, 737–740 right heart, 740–744 reasons for, 727–728

thoracic aorta, 749–753 transgastric views, 744–749 safety issues, 729–730 disadvantages of, as monitor, 759 uses for, during critical events, 753 Transesophageal echocardiography, for monitoring, air embolism, 687 high-risk renal patient, 869–870

myocardial ischemia, 660–666 Transfusions, blood. See *Blood transfusions*. Transgastric views, with transesophageal echocardiography, 744–749

Transthoracic Doppler ultrasonography, for monitoring air embolism, 687–688

Transtracheal illumination, for verifying, endotracheal position, 820 tracheal tube insertion depth, 833–834

Trauma, pediatric, 309–337 abdominal trauma, anesthetic management, 330–331 overview, 329–330

general considerations, 309–311 airway management, 311–314 fluid management, 314–315 psychologic impact, 316 thermoregulation, 316

head trauma, anesthetic management, 319–323 evaluation, 317–318

general management, 318–319 overview, 316

laryngeal and tracheal, 254 ocular. See *Eye emergencies, pediatric.* spinal cord injury, anesthetic

management, 324–326 overview, 323–324 thoracic trauma, anesthetic management, 328–329

overview, 326–328 Trishydroxymethylaminomethane, for pediatric resuscitation outside

operating room, 396 Tubal ligation, laparoscopic, analgesia after, 31

regional anesthesia for, 51 Tube condensation of water vapor, for verifying endotracheal position, 819 Two-lung ventilation, physiology of,

146–149 hemodynamic changes, 148–149 hypercapnia, 147–148 oxygenation and hypoxemia, 147

Univent tube, complications from, 468 for lung isolation, choosing proper size of, 466 and difficult airways, 471–472 fiberoptic bronchoscopy for, 467 placement and positioning of, 467 in one-lung ventilation, 478 Urinary tract injuries, from laparoscopy,

Urine formation, influence of anesthesia on, 849–858

physiology of, 845-849

Urine output monitoring, for measuring renal function, 866–867

Uterine perforation, from hysteroscopy, 134

Valvular function, transesophageal echocardiographic assessment of, 755–756

Vascular injuries, from laparoscopy, 98–99 Ventilation, controlled or spontaneous,

with laparoscopy, 35 one-lung. See *One-lung ventilation*. pediatric, outside the operating room,

399-404

conventional ventilation, 399–400 extracorporeal membrane oxygenation, 403

high-frequency jet ventilation, 401–402 high-frequency oscillatory ventilation, 400–401

inhaled nitric oxide, 402 partial liquid ventilation, 402–403 spontaneous, during thoracoscopy, 149–

two-lung. See Two-lung ventilation. Ventilation perfusion scintigraphy, in preoperative assessment for

pulmonary resection, 417 Ventricular fibrillation, during cardiac arrest, 719–721

Ventricular function, transesophageal echocardiographic assessment of, 753–755

Vital signs, for assessing adequacy of oxygen delivery in massively bleeding patient, 634–635 Vo_{2.} for assessing adequacy of oxygen delivery in massively bleeding patient, 636

Volatile anesthetics, in renal failure patients, 853–855

Volume expansion, for initial treatment of anaphylaxis, 710

Volume overload, as complication of massive transfusion, 646

V/Q mismatch, as cause of hypoxia, 774–776 diagnosis of, 791

Warfarin, for treatment of pulmonary thromboembolism, 684

Whole lung lavage, **543–558** author's experience with, 553–555 evolution after, 553

historical considerations, 543–544, 545, 546

indications, 544 pediatric, 555–556 pre-evaluation for, 544

technique, complications from, desaturation, 549

leakage, 549–550 general anesthesia, 547 lung lavage, 547, 549 lung separation, 547 monitoring, 546–547 termination, 550, 552–553

Zygote intrafallopian transfer (ZIFT), performed under regional anesthesia, 50-51



